



# Product Safety Data Sheet

VF-3  
Revision  
June 2007

Product trade name                      **VF-3**

## Company Identification

**Manufacturer information**            Neopost Technologies BV  
De Tijen 3  
9201 BX Drachten  
The Netherlands

**Local contact information**        Francotyp Postalia GmbH  
Triftweg 21 - 26  
16547 BIRKENWERDER  
Deutschland  
Phone: +49 3303 525 0  
Fax : +49 3303 525 799

## Environmental information

| Product dimensions | Depth              | Width              | Height           |
|--------------------|--------------------|--------------------|------------------|
|                    | 500 mm (19,7 inch) | 440 mm (17,3 inch) | 407 mm (16 inch) |

**Product weight**                      30,5 Kg (67,2 lbs)

|                                  | Relative Humidity | Ambient Temperature            |
|----------------------------------|-------------------|--------------------------------|
| <b>Environmental Storage *</b>   | 30% rH to 80 % rH | -30°C to 60°C (-22°F to 140°F) |
| <b>Environmental Operating *</b> | 30% rH to 80 % rH | 10°C to 40°C (50°F to 104°F)   |

\* Relative humidity, non-condensing.

## Supplies

| Product name | Neopost part number | Material safety data sheet |
|--------------|---------------------|----------------------------|
| -            | -                   | -                          |

## Electrical information

|                         |              |              |               |
|-------------------------|--------------|--------------|---------------|
| <b>Line voltage (V)</b> | 100V +6/-10% | 115V +6/-10% | 230V +10/-10% |
| <b>Line current (A)</b> | 2            | 2            | 1             |
| <b>Frequency (Hz)</b>   | 50           | 60           | 50            |

## Power consumption

| Line voltage     | Off mode (Wh) | Standby (Wh) | Run mode (Wh) |
|------------------|---------------|--------------|---------------|
| <b>100V-50Hz</b> | 0             | -            | 142           |
| <b>110V-60Hz</b> | 0             | -            | 156           |
| <b>230V-50Hz</b> | 0             | -            | 123           |

*Note: The electrical power information provided should not be used to define the electrical support required for this product. Consult your Neopost representative if you require detailed information.*

## Audible noise

| Operating conditions   | Sound pressure [dB(A)] |
|------------------------|------------------------|
| Standby                | -                      |
| Operating - continuous | 68                     |

## Safety Information

Safety and legal Markings:



Product safety certification

| Standard                     | Certifying body         | File number |
|------------------------------|-------------------------|-------------|
| IEC 60950-1 (2001) First ed. | UL                      | UL          |
| UL 60950-1 (2006) First ed.  | UL                      | E153801     |
| EN 60950-1 (2001)            | Neopost Technologies BV | -           |

Electromagnetic compatibility

| Standard            | Certifying body | File number |
|---------------------|-----------------|-------------|
| EN 55022 (1998)     | KEMA QUALITY BV | -           |
| EN 61000-3-2 (2000) | KEMA QUALITY BV | -           |
| EN 55024 (1998)     | KEMA QUALITY BV | -           |
| FCC Part 15 Class A | KEMA QUALITY BV | -           |
| EN 61000-3-3 (1995) | KEMA QUALITY BV | -           |

## Environmental legal compliance

Per 01-07-2005 this product complies with EU Directive 2002/96/EC, Waste of Electrical and Electronic Equipment (WEEE), in all EU member states.

Per 01-07-2006 this product complies with EU Directive 2002/95/EC, Restriction of Hazardous Substances (RoHS), in all EU member states.

*DISCLAIMER : This Product Safety Data Sheet (PSDS) is provided without charge to customers of Neopost Technologies. Data is the most current known to Neopost Technologies at the time of preparation of this PSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.*